

# MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT  
MIC QUAT 32

1-25-17

FILE # 0200.1

FILE NO.:  
MSDS DATE: / /  
DATE: 6/15/15  
PAGE 1 OF 5

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: **MIC QUAT 32 LEMON. PINE OR MINT**  
SYNONYMS: QUAT DISINFECTANT  
PRODUCT CODES: 0200.1

MicQuat 32 Lemon Step  
Disinfectant Germicidal  
Detergent and Deodorant

MANUFACTURER: MIC INDUSTRIES INC  
DIVISION:  
ADDRESS: 10892 HILLPOINT, SAN ANTONIO, TEXAS 78217

EMERGENCY PHONE: 210-590-1114  
CHEMTREC PHONE:  
OTHER CALLS:  
FAX PHONE: 210-590-1173

CHEMICAL NAME: QUAT DISINFECTANT  
CHEMICAL FAMILY:  
CHEMICAL FORMULA:

PRODUCT USE: TO DISINFECT AREAS AND HARD FLOORS  
PREPARED BY: HAL MATTHEWS

SECTION 1 NOTES:

## SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

G

HEALTH ENVIRONMENTAL PHYSICAL

ACUTE TOXICITY – Oral

EYE CORROSION – Serious eye damage/eye irritation

SKIN CORROSION – Irritation

SKIN SENSITIZATION – Will burn skin if left on skin and not rinsed.

MUTAGENICITY – N/A

REPRODUCTIVE/DEVELOPMENTAL –

TARGET ORGAN TOXICITY (REPEATED) –

TOXICITY – Ingestion of ethanol by pregnant women can cause reproductive toxicity to the fetus.

GHS LABEL:

SIGNAL WORD –

HAZARD STATEMENTS: Harmful if swallowed or if inhaled, Causes serious eye damage. Causes corrosive burns.

PRECAUTIONARY STATEMENTS: Prevetion, avidn breathing dust/fume/gas/mist/vapors/spray. Wash skin thoroughly after Handling. Do not eat, drink or smoke when using this product. Wear eye protection/ face protection. Use in well ventilated area.

SECTION 3 NOTES: Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage.

# MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT

FILE NO.:  
MSDS DATE: / /

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CASRN	CONCENTRATION
Alkyl dimethyl benzyl ammonium chloride	68424-85-1	*
Didecyl dimethyl ammonium chloride	7173-51-5	* *
Ethanol	64-17-5	*

### SECTION 3 NOTES:

(SEE SECTION 8 FOR EXPOSURE LIMITS)

## SECTION 4: FIRST AID MEASURES

**EYES:** If product enters the eyes, open eyes while under gently running water. Use sufficient force to open eyelids. Roll eyes to expose more surface. Minimum flushing is for 15 minutes. Seek immediate Medical attention.

**SKIN:** If the product contaminates the skin, immediately begin decontamination with running water. Minimum flushing is for 15 minutes. Remove contaminated clothing, taking care not to contaminate eyes. If skin becomes irritated and irritation persists, Medical attention may be necessary. Wash contaminated clothing before reuse.

**INHALATION:** After high vapor exposure, remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, trained Personnel should immediately give artificial respiration. If the heart has stopped, trained personnel should immediately begin Cardiopulmonary resuscitation (CPR). Seek immediate medical attention.

**SWALLOWING:** If swallowed, CALL PHYSICIAN OR POISON CONTROL CENTER FOR MOST CURRENT INFORMATION. If professional advice is not available, give 2 glasses of water to drink. DO NOT INDUCE VOMITTING. Never induce vomiting or Give liquids to someone who is un conscious, having convulsions, or unable to swallow. Seek medical attention immediately.

**NOTES TO PHYSICIAN:** There are no specific antidote. Treatment of overexposure should be directed at the control of symptoms and the

### SECTION 4 NOTES:

## SECTION 5: FIRE-FIGHTING MEASURES



FLAMMABLE LIMITS IN AIR, UPPER: N/A



(% BY VOLUME)

LOWER: N/A

### FLASH POINT:

F: N/A

C: N/A

### METHOD USED:

### AUTOIGNITION TEMPERATURE:

F: N/A

C: N/A

### NFPA HAZARD CLASSIFICATION

HEALTH: 2

FLAMMABILITY: 0

REACTIVITY: 2

OTHER:

### HMIS HAZARD CLASSIFICATION



# MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT

ODOR: CHARACTERISTIC: Chemical

FILE NO.:

MSDS DATE: / /

PHYSICAL STATE: liquid

pH AS SUPPLIED: 6 to 8 ph

pH (Other): BOILING POINT: 60 TO 195 C

F: 331 to 342 f

C: 166 to 172 c

MELTING POINT: N/A

F:

C:

FREEZING POINT:

F: 5 TO 29 F

C: N/A

VAPOR PRESSURE (mmHg): 14.6 – 80 mmHG AT 20 C  
@ 20 C

F:

C:

VAPOR DENSITY (AIR = 1): 1.3 @ 20 C

@ AIR=1

F: 68

C: 20

SPECIFIC GRAVITY (H2O = 1): .902

@ POUNDS PER GALLON 7.514

F:

C:

EVAPORATION RATE: 0.153

BASIS (=1):

SOLUBILITY IN WATER: COMPLETE

PERCENT SOLIDS BY WEIGHT: %

PERCENT VOLATILE: NO AVAILABLE

BY WT/ BY VOL @

F:

C:

VOLATILE ORGANIC COMPOUNDS (VOC) :25 %

WITH WATER: LBS/GAL 7.5 LBS GAL.  
WITHOUT WATER: LBS/GAL 2.5 LBS GAL

SECTION 9 NOTES:

---

## SECTION 10: STABILITY AND REACTIVITY

---

STABLE

X

UNSTABLE

STABILITY: UNDER NORMAL CONDITIONS

CONDITIONS TO AVOID (STABILITY): Isolate from oxidizers, heat and open flame.

INCOMPATIBILITY (MATERIAL TO AVOID): Reacts to strong oxidants, causing fire and explosion hazard.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon Monoxide, Carbon Dioxide from burning.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID (POLYMERIZATION):

SECTION 10 NOTES:

---

## SECTION 11: TOXICOLOGICAL INFORMATION

---

TOXICOLOGICAL INFORMATION: EYES AND SKIN CONTACT: Primary irritation to skin, dermatitis. Absorption thru skin

# MATERIAL SAFETY DATA SHEET

FILE NO.:

NAME OF PRODUCT

MSDS DATE: / /

Increases exposure. Primary irritation to eyes, redness, tearing, blurred vision. Liquid can cause irritation. WASH THOROUGHLY AFTER HANDLING.

INHALATION: Anesthetic. Irritates respiratory tract. Acute exposure can cause serious nervous system depression. Vapor Harmful.

SECTION 11 NOTES:

---

## SECTION 12: ECOLOGICAL INFORMATION

---

ECOLOGICAL INFORMATION:

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATED EVIORMRNTAL CONTAMINATION

This product may be harmful or fatal to plant and animal life if released into the environment.

SECTION 12 NOTES:

---

## SECTION 13: DISPOSAL CONSIDERATIONS

---

WASTE DISPOSAL METHOD: Recycle / dispose of observing national, regional, state and local health, safety and pollution laws.

RCRA HAZARD CLASS:

SECTION 13 NOTES:

---

## SECTION 14: TRANSPORT INFORMATION

---

U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME: CLEANING COMPOUND, NOI, LIQUID

HAZARD CLASS:

ID NUMBER:

PACKING GROUP: NOT REGULATED ON TRUCKS IN CONTAINERS OF <119 GALLONS.

LABEL STATEMENT:

WATER TRANSPORTATION N/A

PROPER SHIPPING NAME:

HAZARD CLASS: NONE

ID NUMBER: 0192

PACKING GROUP:

LABEL STATEMENTS:

AIR TRANSPORTATION

PROPER SHIPPING NAME:

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENTS:

OTHER AGENCIES:

SECTION 14 NOTES:

---

## SECTION 15: REGULATORY INFORMATION

---

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT):

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): N/A

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): SARA SECTION 3211/312 HAZARDS

311/312 HAZARD CATEGORIES: NONE

313 REPORTABLE INGREDIENTS: NONE

# MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT

FILE NO.:  
MSDS DATE: / /

STATE REGULATIONS:

INTERNATIONAL REGULATIONS:

SECTION 15 NOTES:

6

---

## SECTION 16: OTHER INFORMATION

---

OTHER INFORMATION:

PREPARATION INFORMATION:

**DISCLAIMER:** The supplier disclaims all expressed or implied warranties of merchantability or fitness for a specific use, with respect to the product or the information provided herein, except for conformance to contracted specifications. All information appearing herein, is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, and therefore users are responsible for verifying the data under their own operating conditions to determine whether this product is suitable for their particular purposes and they assume all risks of their handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.

Unless updated, the Safety Data Sheet is valid until 6-15 2020.